




A Utopia of Perfect Living is Yours to Savour



Live Your Dreams in Splendid Grandeur

28 RC Suites is a chic residential and commercial development for the discerning individual who values modern living in beautiful surroundings. With a bold contemporary facade housing 45 cosy apartments, offering the perfect living spaces for young upwardly mobile professionals. From compact single-level apartments to spacious double-storey penthouses, you are sure to find your dream home at 28 RC Suites.



















Excellent transport options, from rail to road, provide island-wide accessibilities.





LOCATION MAP












Awaken Your Senses

Stay in shape with the equipment in the modern gym, stay relaxed in the cool waters of the swimming pool or simply stay connected while lounging by the pool deck; the choice is all yours at 28 RC Suites, where you can pamper yourself every single day.



















Feel the stress of a hectic lifestyle melt away in the jacuzzi or catch up with friends and family over a sizzling BBQ. With balconies, private roof terraces or private entertainment spaces available in the apartments at 28 RC Suites, spending quality time with loved ones or treating yourself to delightful extravagances can be an everyday affair. 28 RC Suites – a place where your dreams really do come true.





- 1 Carpark Entrance
- 2 Carpark Exit
- 3 Swimming Pool
- 4 Pool Deck
- 5 Gym (Next to Pool Deck)






















































IST STOREY PLAN






TYPE A I - I
I bedroom
54 sq m / 58 I sq ft
#02-01





TYPE A I
I bedroom
40 q m / 43 I sq ft
#04-01 to #05-01




TYPE A l aI bedroom
40 sq m / 431 sq ft

#03-01






3RD STOREY PLAN TO 6TH STOREY PLAN




Note: Unit area includes AC ledge and/or AC accessory lot and/or void and/or roof terrace where applicable. All plans are subject to amendments as approved by the relevant authorities.













TYPE A3I bedroom
38 sq m / 409 sq ft

#02-03 to #04-03











#05-03




TYPE A3a-II bedroom
38 sq m / 409 sq ft


#05-05






#02-05 to #04-05








#02-04









TYPE A5 I bedroom 41 sq m / 441 sq ft

#02-06 to #05-06









TYPE A6 I bedroom 42 sq m / 452 sq ft

#03-07 to #05-07



TYPE A6-I I bedroom 42 sq m / 452 sq ft


#06-07




TYPE A6-2 I bedroom 56 sq m / 603 sq ft

#02-07





3RD STOREY PLAN TO 6TH STOREY PLAN




Note: Unit area includes AC ledge and/or AC accessory lot and/or void and/or roof terrace where applicable. All plans are subject to amendments as approved by the relevant authorities.







#03-08







#04-08 to #06-08








3RD STOREY PLAN TO 6TH STOREY PLAN




2ND STOREY PLAN

TYPE A7-2
I bedroom
54 sq m / 581 sq ft
#02-08




TYPE A8 I bedroom 40 sq m / 43 l sq ft

#03-09 to #05-09




TYPE A8-I I bedroom 40 sq m / 43 l sq ft


#06-09




TYPE A8-2 I bedroom 54 sq m / 581 sq ft

#02-09






3RD STOREY PLAN TO 6TH STOREY PLAN



Note: Unit area includes AC ledge and/or AC accessory lot and/or void and/or roof terrace where applicable. All plans are subject to amendments as approved by the relevant authorities.








UPPER STOREY



LOWER STOREY



#06-02





UPPER STOREY




LOWER STOREY








UPPER STOREY



LOWER STOREY




#06-04



UPPER STOREY



LOWER STOREY




Note: Unit area includes AC ledge and/or AC accessory lot and/or void and/or roof terrace where applicable. All plans are subject to amendments as approved by the relevant authorities.







#06-05



UPPER STOREY



LOWER STOREY







Note: Unit area includes AC ledge and/or AC accessory lot and/or void and/or roof terrace where applicable. All plans are subject to amendments as approved by the relevant authorities.



#06-06



UPPER STOREY



LOWER STOREY

RESIDENTIAL SPECIFICATION

1. FOUNDATION

Concrete Piled Foundation to Engineer's Design.

2. SUPERSTRUCTURE

Reinforced concrete structure

3. WALLS

3.1 External Wall - Common clay bricks / Reinforced concrete wall

3.2 Internal Wall - Common clay bricks and/or dry lightweight wall panels and/or partition board

4. ROOF

4.1 Pitch Roof - Metal roof sheet with appropriate insulation

4.2 Flat Roof - Reinforced concrete slab flat roof with appropriate waterproofing system

5. CEILING

5.1 Ceiling (For Apartments)

Living / Dining / Master Bedroom / Balcony / Air con ledge

- Skim coat and/or Cement and Sand Plaster to underside of slab and beam with emulsion paint finish

Household Shelter Kitchen / Corridor

Master Bath / Powder room / - Fiber gypsum plasterboard and/or moisture resistant ceiling board with emulsion paint finish

5.2 Ceiling (Common Area)

lobbies / Cover Walkway / Corridor

1st Storey lift lobby / Typical - Fibrous gypsum plasterboard and/or moisture resistant ceiling board with lift emulsion paint finish

Staircase/Driveway Mechanical Car Park

- Skim coat and/or Cement Plaster to underside of slab with emulsion paint - Skim coat and/or Cement Plaster to underside of slab

Gymnasium / Handicapped

- Fibrous gypsum plasterboard and/or moisture resistant ceiling board with emulsion paint finish

6. FINISHES

6.1 Wall (For Apartments)

Living / Dining / Master Bedroom

- Cement and Sand plaster and/or skim coat with emulsion paint

- Skim coat to underside of slab with emulsion paint finish

Household shelter Master Bath / Powder room

- Skim coat with emulsion paint - Homogenous and/or Ceramic tiles and/or Cement and Sand plaster with emulsion paint up to ceiling

iv. Kitchen

- Ceramic tiles and/or Cement and Sand plaster with emulsion paint to the exposed area between top and bottom cabinet only

6.3 Floor (For Apartments)

Living / Dining Master bedroom - Compressed marble and/or Homogenous and/or Ceramic tile with skirting - Compressed marble and/or Homogenous and/or Timber strip with skirting

iv. Balcony/ Roof Terrace

Master Bath / Powder Room - Homogenous and/or Ceramic tiles - Homogenous and/or Ceramic tiles - Timber strip to tread only

Staircase vi. Air-con ledge - Cement and sand screed finish

6.3 Wall (Common Area)

1st Storey Lift Lobbies

- Granite and/or Homogenous and/or Ceramic tiles up to false ceiling height (on wall of lift door only)

Typical Lift Lobbies - Ceramic tiles and/or Cement and Sand Plaster and/or skim coat with emulsion paint up to ceiling height Cement and Sand plaster and/or skim coat with emulsion paint

iii. Staircase iv.

Cover Walkway / Corridor - Cement and Sand Plaster and/or skim coat with emulsion paint finish Driveway - Cement and Sand Plaster and/or skim coat with emulsion paint finish

Mechanical Car Park

- Cement and Sand Plaster and/or skim coat

6.4 Floor (Common Area)

1st Storey lift lobby

- Granite and/or Homogenous and/or Ceramic tiles

Typical Lift Lobby - Homogenous and/or Ceramic tiles - Cement and sand screed Staircase

iii. Pool Decking - Timber deck and/or Granite and/or Homogenous and/or Ceramic tiles iv. Gymnasium - Timber strip and/or Homogenous and/or Ceramic tiles and/or vinyl tiles

vi. Driveway Mechanical Car Park - Homogenous and/or Ceramic tiles and/or Tarmac and/or reinforced concrete

- Reinforced concrete slab

7. WINDOWS

Powder coated aluminium frame with approximate 6 mm thick tinted/clear/frosted glass to be provided to Living/ Dining, Master Bedroom and Master Bathrooms. All windows are either sidehung, top-hung, sliding, fixed, louvered or any combination of the aforementioned.

8. DOORS

8.1 Main Entrance

- Approved fire-rated timber door

8.2 Master bedroom / bedrooms - Timber decorative door

8.3 Master Bathroom / Powder room

- Timber decorative door and/or PVC and/or aluminium bi-fold door

8.4 Household Shelter - PSB approved blast door 8.5 Ironmongery - Imported quality Locksets

9. SANITARY FITTINGS

Master Bathroom

1 shower with shower mixer and hand shower 1 wash basin and mixer tap 1 pedestal water closet

1 mirror 1 towel rail vi. 1 hand towel ring

vii. 1 paper holder

Powder room

1 wash basin and mixer tap iv. 1 hand towel ring 1 pedestal water closet 1 paper holder

iii 1 mirror

10. ELECTRICAL INSTALLATION

All electrical wiring to be in concealed conduits and mount in surface trunking / pipes. Where there is a false ceiling, the electrical wiring above false ceiling is in exposed conduits.

Refer to Electrical Schedule for details.

11. TV/FM/TELEPHONE

TV/FM/Telephone points shall be provided in accordance to the Electrical Schedule.

12. LIGHTNING PROTECTION

Lightning Protection System shall be provided in accordance with Singapore Standard 555

13. PAINTING

Emulsion paint to internal and external walls.

14. WATERPROOFING

Waterproofing to Master Bathroom, Powder Room, Kitchen, RC flat roof, Balcony, air-con ledge and when required.

15. RECREATIONAL FACILITIES

a) Swimming pool 4 m x 8 m b) Gymnasium

c) Decking

16. ADDITIONAL ITEMS

16 1 Kitchen Cabinet Built-in high and low level kitchen cabinets, cooker hob, cooker hood and sink 16.2 Wardrobes Built-in and/or pole system wardrobes to all bedrooms 16.3 Air-Conditioning Multi-split air conditioning system to Living/Dining, Master Bedroom

Mechanical Ventilation will be provided to all Master Bathroom and Water Closet

16.4 Water Heater Hot water heater supply to all Master Bathroom 16.5 Security System Audio intercom system to all units

Flectrical Schedule

Liedt foar Ochedie													
Туре	Lighting	13A	2X13A	TV	TV/FM	Data	Telephon	e Water	Cooker	Hood	AC	Intercom	Door
	Point	S/S/O	S/S/O	Point	Point	Point	Point	Heater			Isolator		Bell
A1 to A9 (1+1BR)	6	3	3	2	1	2	2	1	1	1	1	1	1
PH1 to PH6 (1+1BR)	6	3	3	2	1	2	2	1	1	1	2	1	1

Notes to Specifications

A Compressed Marble

Compressed marble is a natural stone material containing veins with tonality differences. There will be colour and markings caused by their complex mineral composition and incorporated impurities. While such materials can be pre-selected before installation, this non-conformity in the compressed marble as well as non-uniformity between pieces cannot be totally avoided. Hence, some differences may be felt at the joints. Subject to clause 14.3, the tonality and pattern of the marble selected and installed shall be subject to availability.

Timber strips are natural materials containing veins and tonal differences. Thus, it is not possible to achieve total consistency of colour and grain in their selection and installation. Timber strips are also subject to thermal expansion and contraction beyond the control of builder and vendor. Natural timber that is used outdoors will become bleached due to sunlight and rain. Thus, the cycle of maintenance on staining will need to be increased as required. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clause 9 and clause 17.

C Air-conditioning system

To ensure good working condition of the air-conditioning system, the system has to be maintained and cleaned on a regular basis by the Purchaser. This includes the cleaning of filters, clearing of condensate pipes and charging of gas. The Purchaser is advised to engage his/her own contractor to service the air-conditioning system regularly

D Television and/or Internet Access

The Purchaser is liable to pay annual fee, subscription fee and such other fees to the television and/or internet service providers or any other relevant party or any relevant authorities. The Vendor is not responsible to make arrangements with any of the said parties for the service connection for their respective

E Materials, Fittings, Equipment, Finishes, Installations and Appliances

Subject to clause 14.3 of the Sales and Purchase Agreement in respect of the units, the brand, colour and model as specified for all materials, fittings, equipment, finishes, installations and appliances to be supplied shall be provided subject to Architect's selection and market availability.

F Layout/Location of Wardrobes, Cabinets, Fan Coil Units, Electrical Points, Television Points, Telecommunication Points, Audio Intercom System, Door Swing Positions and Plaster Ceiling Boards

Layout/Location of wardrobes, kitchen cabinets, fan coil units, electrical points, television points, telecommunication points, audio intercom system, door swing positions and plaster ceiling boards are subject to Architect's final decision and design.

The false celling space provision allows for the optimal function and installation of M&F services. Access panels are allocated for ease of maintenance access to concealed M&E equipment for regular cleaning purposes. Where removal of equipment is needed, ceiling works will be required. Location of false ceiling is subject to the Architect's sole discretion and final design.

Glass is manufactured material that is not 100% pure. Invisible nickel sulphide impurities may cause spontaneous glass breakage, which may occur in all glass by all manufacturers. The Purchaser is recommended to take up home insurance covering glass breakage to cover this possible event. Notwith standing this note, the Vendor shall remain fully responsible for the performance of its obligations under clause 9 and clause 17.

Mechanical Ventilation System

Mechanical Ventilation fans and ductings are provided to toilets which are not naturally ventilated.

To ensure good working condition of the mechanical ventilation system, the mechanical ventilation system for the exhaust system within internal toilets (where applicable) is to be maintained by the Purchaser on a regular basis.

J Mechanical Car Parking System The mechanised car parking system has to be maintained regularly by a specialist to ensure that it is in good and proper working condition.

All wall finishes shall be terminated at false ceiling level. There will be no tiles/ stone works behind kitchen cabinets/long bath/vanity cabinet/mirror.

Where warranties are given by the manufacturers and / or contractors and / or suppliers of any of the equipments and or appliances installed by the Vendor at the Unit / Building, the Vendor shall assign to the Purchaser such warranties at the time when possession of the Unit / Building is delivered to the Purchaser, and the Vendor shall not be answerable for any failure of these manufacturers, contractors, and suppliers to honor any warranty.

SHOPS SPECIFICATION

1. FOUNDATION

Concrete Piled Foundation to Engineer's Design.

2. SUPERSTRUCTURE

Reinforced concrete structure

3. WALLS

- 3.1 External Wall - Common clay bricks / Reinforced concrete wall
- 3.2 Internal Wall - Common clay bricks and/or dry lightweight wall panels and/or partition board

4. ROOF

- 4.1 Pitch Roof - Metal roof sheet with appropriate insulation
- 4.2 Flat Roof - Reinforced concrete slab flat roof with appropriate waterproofing system

5. CEILING

- 5.1 Ceiling (For Shops)
- Shops - Skim coat and/or Cement and Sand Plaster to underside of slab and beam with emulsion paint finish
- Water Closet - Fibrous gypsum plasterboard and/or moisture resistant ceiling board with emulsion paint finish

5.2 Ceiling (Common Area)

- lift lobbies / Cover Walkway /
- 1st Storey lift lobby / Typical Fibrous gypsum plasterboard and/or moisture resistant ceiling board with emulsion paint finish
- Corridor Staircase / Driveway
 - Skim coat and/or Cement Plaster to underside of slab with emulsion paint
- Mechanical Car Park
- Skim coat and/or Cement Plaster to underside of slab
- Gymnasium / Handicapped
- Fibrous gypsum plasterboard and/or moisture resistant ceiling board with emulsion paint finish

6. FINISHES

- 6.1 Wall (For Shops)
- Shops
- Water Closet
- Cement and Sand plaster and/or skim coat with emulsion paint
- Homogenous and/or Ceramic tiles and/or Cement and Sand plaster with emulsion paint up to ceiling

6.3 Floor (For Shops)

- Shops Water Closet
- Cement and Sand Screed Finish - Homogenous and/or Ceramic tiles
- Cement and sand screed finish Air-con ledge

6.3 Wall (Common Area)

- 1st Storey Lift Lobbies
- Granite and/or Homogenous and/or Ceramic tiles up to false ceiling height (on wall of lift door only)
- ii. Typical Lift Lobbies - Ceramic tiles and/or Cement and Sand Plaster and/or skim coat with emulsion paint up to ceiling height
- Cement and Sand plaster and/or skim coat with emulsion paint Staircase
- Cover Walkway / Corridor - Cement and Sand Plaster and/or skim coat with emulsion paint finish
- Cement and Sand Plaster and/or skim coat with emulsion paint finish Driveway
- Mechanical Car Park - Cement and Sand Plaster and/or skim coat vi.

6.4 Floor (Common Area)

- 1st Storey lift lobby - Granite and/or Homogenous and/or Ceramic tiles
 - Typical Lift Lobby - Homogenous and/or Ceramic tiles
- iii Staircase
- Cement and sand screed Pool Decking - Timber deck and/or Granite and/or Homogenous and/or Ceramic tiles
- Timber strip and/or Homogenous and/or Ceramic tiles and/or vinyl tiles Gymnasium
- vi. Driveway - Homogenous and/or Ceramic tiles and/or Tarmac and/or reinforced concrete
- Mechanical Car Park - Reinforced concrete slab vii.

7. DOORS

- 8.1 Shop
- Aluminium frame with clear froat glass door and fix panels
- 8.2 Water Closet - Timber decorative door and/or PVC and/or aluminium bi-fold door 8.3 Ironmongery - Imported quality Locksets

8. SANITARY FITTINGS

- Water Closet 1 wash basin and tap
- 1 pedestal water closet
- iii. 1 paper holder

9. ELECTRICAL INSTALLATION

All electrical wiring to be in concealed conduits and mount in surface trunking / pipes. Where there is a false ceiling, the electrical wiring above false ceiling is in exposed conduits.

c) Decking

Refer to Electrical Schedule for details

10. LIGHTNING PROTECTION

Lightning Protection System shall be provided in accordance with Singapore Standard 555

Emulsion paint to internal and external walls.

12 WATERPROOFING

Waterproofing to Water Closet and when required.

13. RECREATIONAL FACILITIES

a) Swimming pool 4 m x 8 m b) Gymnasium

14. ADDITIONAL ITEMS

- 1 tap point to be provided to all shops
- Mechanical Ventilation will be provided to Water Closet

Electrical Schedule

Туре	100A single phase Isolator	60A single phase Isolator	
Shop 1 to 3	1	NA	
Shop 4 to 8	NA	1	

Notes to Specifications

A Materials, Fittings, Equipment, Finishes, Installations and Appliances

Subject to clause 15.3 of the Sales and Purchase Agreement in respect of the units, the brand, colour and model as specified for all materials, fittings, equipment, finishes, installations and appliances to be supplied shall be provided subject to Architect's selection and market availability.

B Layout/Location of Electrical Points, Door Swing Positions and Plaster Ceiling Boards

Layout/Location of electrical points, door swing positions and plaster ceiling boards are subject to Architect's final decision and design.

C False Ceiling

The false celling space provision allows for the optimal function and installation of M&F services. Access panels are allocated for ease of maintenance access to concealed M&E equipment for regular cleaning purposes. Where removal of equipment is needed, ceiling works will be required. Location of false ceiling is subject to the Architect's sole discretion and final design.

D Glass

Glass is manufactured material that is not 100% pure. Invisible nickel sulphide impurities may cause spontaneous glass breakage, which may occur in all glass by all manufacturers. The Purchaser is recommended to take up home insurance covering glass breakage to cover this possible event. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clause 9 and clause 17.

E Mechanical Ventilation System

Mechanical Ventilation fans and ductings are provided to toilets which are not naturally ventilated.

To ensure good working condition of the mechanical ventilation system, the mechanical ventilation system for the exhaust system within internal toilets (where applicable) is to be maintained by the Purchaser on a regular basis.

F Mechanical Car Parking System

The mechanised car parking system has to be maintained regularly by a specialist to ensure that it is in good and proper working condition.

All wall finishes shall be terminated at false ceiling level.

Where warranties are given by the manufacturers and / or contractors and / or suppliers of any of the equipments and or appliances installed by the Vendor at the Unit / Building, the Vendor shall assign to the Purchaser such warranties at the time when possession of the Unit / Building is delivered to the Purchaser, and the Vendor shall not be answerable for any failure of these manufacturers, contractors, and suppliers to honor any warranty

DESCRIPTION OF HOUSING PROJECT

General description:

Expected TOP date

Proposed erection of a 6-storey residential flats with an attic (total 45 units) and commercial shops (total 8 units) with swimming pool and communal facilities on lots 99364V and 99368K TS 18 at 28 Race Course Lane.

: M/s Sysma Properties Private Limited Developer

Developer's Licence No : C1071

Tensure of Land : Freehold (Estate in Fee Simple)

: lots 99364V and 99668K TS 18 BP No. A1694-00235-2012 BP 01 Lot No.

dated 24th June 2013 : 31st December 2017

Expected Date of Legal Completion: 31st December 2020

While every reasonable care has been taken in preparing this brochure, the developer and its agents cannot be held responsible for any inaccuracies. All statements are believed to be correct but are not to be regarded as statements of representation of facts. All information and specifications are current at the time of going to the press and are subject to change as may be required and cannot form part of an offer or contract. All plans are subject to any amendments approved or may be approved by the relevant authority All art renderings and illustrations contained in this brochure are artist's impressions only and photographs are only décor suggestions and none can be regarded as representation of fact. Areas are approximate measurements and subject to final survey.

Developed by:



