ICID No. 11 KING ALBERT PARK Residences

kap residences puts you in the heart of the action with a prime location in one of Singapore's most sought after districts. With an address that will make you the envy of family and friends, you will never be far from what you desire.


kap residences, located prominently in the heart of King Albert Park, along Upper Bukit Timah Road, marries the best of residential and retail into one stunning arena. Combines 142 exquisite homes with three storeys of shopping bliss for the ultimate in convenience and indulgence.



> type eA

1 bdrm + study 61 sq m


#03-17




> type eA-a


1 bdrm + study 61 sq m


#03-23 #03-18* * Mirror image




> type eA-a1









> type eA1










> type eA2

1 bdrm + study 50 sq m

#03-32




> type eA2-a



> type eA2-b

1 bdrm + study 51 sq m


#03-02



> type eA3


1 bdrm + study 49 sq m


#03-08




> type eB 2 bdrm 55 sq m

#03-26








> type eB1

2 bdrm 65 sq m


#03-25



> type eB2-a1

2 bdrm + study 62 sq m


#03-13



> type eB2-a

2 bdrm + study 70 sq m


#03-28




> type eB3

2 bdrm + study 67 sq m

#03-10 #03-09* #03-11* * Mirror image








KEY PLAN (Not to scale)

> type eB4

2 bdrm + study 64 sq m


#03-12



> type eB5

2 bdrm + study 79 sq m


#03-21 #03-20* * Mirror image



> type eB5-a

2 bdrm + study 79 sq m


#03-19 #03-22* * Mirror image




> type eB5-a1

2 bdrm + study 71 sq m

#03-01








> type eB6

2 bdrm + study 84 sq m


#03-16 #03-24* * Mirror image



> type eB7-a

2 bdrm + study 73 sq m


#03-04 #03-27



> type eB7

2 bdrm + study 72 sq m


#03-03




> type eC

3 bdrm 86 sq m

#03-05









> type eC1


3 bdrm + study 94 sq m

#03-06



> type eC2






> type A

1 bdrm + study 46 sq m

#04-17 #05-17






1 bdrm + study 46 sq m

#04-23 #05-23

#04-02* #05-02*

#06-02* #04-18*

#05-18* * Mirror image



MASTER

BEDROOM

STUDY

MASTER BATH

PLATFORM FURNITURE

ABOVE

BALCONY

LIVING / DINING

KITCHEN


HS


> type A1

1 bdrm + study 48 sq m

#04-08

#05-08 #06-08








NOTE: Unit area includes a/c ledge & void &/or PES where applicable. All plans are subject to amendments as approved by the relevant authorities.

> type A2

1 bdrm + study 47 sq m


#04-31 #05-31 #04-30* #05-30* * Mirror image



> type A2-a

1 bdrm + study 47 sq m


#04-29 #05-29





> type A2-b


1 bdrm + study 47 sq m


#04-32 #05-32




















> type B1

2 bdrm + study 62 sq m

#04-25 #05-25




> type B2-a

2 bdrm + study 62 sq m

#04-28 #05-28 #04-13* #05-13*


#06-13*
* Mirror image



> type B2

2 bdrm + study 62 sq m

#04-14 #05-14 #06-14



> type B3


2 bdrm + study 65 sq m


#04-10 #05-10

#06-10 #04-09* #05-09*

#06-09* #04-11* #05-11*

#06-11*
* Mirror image






> type B4

2 bdrm + study 62 sq m

#04-12

#05-12 #06-12



> type B5-a


2 bdrm + study 63 sq m

#04-01 #05-01 #06-01

#04-19

#05-19 #04-22* #05-22*

* Mirror image




> type B5

2 bdrm + study 63 sq m

#04-21 #05-21 #04-20*

#05-20*
* Mirror image





> type B6

2 bdrm + study 70 sq m

#04-16 #05-16 #04-24*

#05-24*
* Mirror image








> type B7

2 bdrm + study 64 sq m


#04-03 #05-03 #06-03



> type B7-a

2 bdrm + study 64 sq m


#04-04 #05-04 #06-04 #04-27 #05-27




> type C

3 bdrm 81 sq m

#04-05 #05-05










3 bdrm + study 75 sq m

#04-06 #05-06 #06-06



> type C2









> type phA

2 bdrm 94 sq m

#06-17



Upper Level




Lower Level


> type phA-a

2 bdrm 94 sq m


#06-23 #06-18* #07-02* * Mirror image



Upper Level



Lower Level







> type phA1

2 bdrm 88 sq m

#07-08



Upper Level




Lower Level


> type phA2

2 bdrm 86 sq m

#06-31 #06-30* * Mirror image



Upper Level



Lower Level







> type phA2-a

2 bdrm 86 sq m

#06-29




Upper Level




Lower Level

> type phA2-b


2 bdrm 86 sq m



Upper Level



Lower Level







> type phA3

2 bdrm 82 sq m

#07-07



Upper Level




Lower Level






> type phB

2 bdrm 88 sq m



Upper Level




Lower Level




4 bdrm 116 sq m

#06-25




Upper Level




Lower Level

> type phB2-a

4 bdrm 116 sq m



Upper Level




Lower Level




4 bdrm 127 sq m

#07-14



Upper Level




Lower Level




4 bdrm 127 sq m

#07-13



Upper Level




Lower Level






4 bdrm 119 sq m

#07-10 #07-09* #07-11* * Mirror image



Upper Level




Lower Level


> type phB4

4 bdrm 116 sq m

#07-12



Upper Level




Lower Level




4 bdrm 128 sq m

#06-21 #06-20* * Mirror image



Upper Level




Lower Level


> type phB5-a

4 bdrm 128 sq m

#06-19 #07-01 #06-22* * Mirror image



Upper Level




Lower Level






3 bdrm + study 131 sq m

#06-16 #06-24* * Mirror image




Upper Level




Lower Level

> type phB7-a1

3 bdrm + study 119 sq m



Upper Level




Lower Level




4 bdrm 129 sq m

#07-03



Upper Level




Lower Level


> type phB7-a

4 bdrm 129 sq m

#07-04



Upper Level



Lower Level






> type phC

4 bdrm 154 sq m


#07-05




> type phC1


5 bdrm + study 143 sq m

#07-06




Upper Level





Lower Level




> type phC2

5 bdrm 164 sq m


#07-15



Upper Level



Lower Level





SPECIFICATIONS

Foundation

Piling system to Structural Engineer's detail and/or design

2. Superstructure

inforced concrete structure and/or structural steelwork to Structural Engineer's detail and/or design.

3. Walls

a) External Walls : Reinforced concrete and/or common clay brick walls b) Internal Walls Reinforced concrete and/or precast panels (light weight) and/ or dry wall panels and/or common clay brick walls

Reinforced concrete roof to Structural Engineer's detail and/or design with appropriate waterproofing and insulation

5. Ceiling

For Apartments

a) Living/Dining : Skim coat and/or ceiling board with emulsion paint finish : Skim coat and/or ceiling board with emulsion paint finish b) Bedroom, Study (if any)

Skim coat and/or water resistant ceiling board with c) Bathroom emulsion paint finish

d) Kitchen : Skim coat and/or ceiling board with emulsion paint finish e) Household Shelter : Skim coat with emulsion paint finish

For Common Areas

a) Lift Lobbies : Skim coat and/or ceiling board with emulsion paint finish b) Corridors, Gymnasium : Skim coat and/or ceiling board with emulsion paint finish

c) Staircases, Carpark : Skim coat with emulsion paint finish

d) Handicap Toilet : Skim coat and/or water resistant ceiling board with

emulsion paint finish

Finishes

Wall

For Apartments

a) Living/Dining : Plaster and/or skim coat with emulsion paint finish b) Bedroom Study (if any) · Plaster and/or skim coat with emulsion paint finish c) Bathroom : Ceramic tiles and/or homogenous tiles finish

Ceramic tiles and/or homogenous tiles and/or stainless d) Kitchen

steel backsplash finish

e) Household Shelter : Skim coat with emulsion paint finish

Note: No tiles/stone behind mirrors and above false ceiling.

For Common Areas

a) Lift Lobbies Ceramic tiles and/or homogenous tiles and/or plaster and/or skim coat with emulsion paint finish

b) Corridors, Gymnasium : Plaster and/or skim coat with emulsion paint finish c) Swimming Pool, : Ceramic tiles and/or homogenous tiles finish

Children's Poo d) Staircases, Carpark : Plaster and/or skim coat with emulsion paint finish

e) Handicap Toilet : Ceramic tiles and/or homogenous tiles finish

<u>Floor</u>

For Apartments

a) Living/Dining : Ceramic tiles and/or homogenous tiles with timber and/or

tile skirting finish

b) Bedroom, Study (if any) Ceramic tiles and/or homogenous tiles with timber and/or

tile skirting finish

c) Bathroom : Ceramic tiles and/or homogenous tiles finish d) Kitchen : Ceramic tiles and/or homogenous tiles finish e) Household Shelter : Ceramic tiles and/or homogenous tiles finish : Ceramic tiles and/or homogenous tiles finish f) Balcony (if any) g) PES (if any) : Ceramic tiles and/or homogenous tiles finish

h) For Penthouse Unit Only - Attic Bedrooms

i) For Penthouse Unit Only : Random timber strips flooring with timber skirting finish

: Ceramic tiles and/or homogenous tiles finish

: Ceramic tiles and/or homogenous tiles with skirting

Staircase

j) For Penthouse Unit Only : Ceramic tiles and/or homogenous tiles finish

- Roof Terrace k) A/C Ledges/ Planter (if anv) : Cement and sand screed finish

a) Lift Lobbies

For Common Areas

tiles finish

b) Corridors, Gymnasium, : Ceramic tiles and/or homogenous tiles finish

c) Swimming Pool, Children's : Ceramic tiles and/or homogenous tiles finish and/or

Pool, Pool Deck, Pavilion : Rubber flooring finish d) Playground

e) Staircases : Cement and sand screed finish with nosing

f) Carpark and Ramps : Cement and sand screed finish

g) Handicap Toilet : Ceramic tiles and/or homogenous tiles finish

7. Windows

Powder coated aluminum framed with approximately 6 mm glass.

8. Doors

a) Main Entrance : Fire-rated timber door

b) Bedroom : Timber door

: Timber door and/or PVC door and/or aluminum c) Bathroom

d) Household Shelter : PSB approved blast door e) Ironmongery : Imported locksets

9. Sanitary fittings

a) Master Bathroom : 1 shower set with shower mixer and rain-shower head

1 hasin and mixer tap 1 pedestal water closet 1 mirror

1 toilet paper holder 1 towel rail

: 1 shower set with shower mixer

1 basin and mixer tap

1 pedestal water closet 1 mirror

1 toilet paper holder

1 towel rail

10. Electrical Installation

b) Common Bathroom (If any)

All electrical wiring below suspended ceiling within the units shall generally be in concealed conduits where possible. Where there is a suspended ceiling, the electrical wiring above suspended ceiling shall be in exposed conduits/trays/trunkings.

Refer to Electrical Schedule for details.

11. TV/Telephone

TV/telephone points shall be provided in accordance to the Electrical Schedule

12. Lightning Protection

ightning protection system shall be provided in accordance with the current edition of Singapore Code of Practice.

13. Painting

a) Internal wall : Emulsion water-based paint

b) External wall : Selected oil-based base coat and water-based exterior

14. Waterproofing

Waterproofing to reinforced concrete roof, bathroom and kitchen.

15. Driveway and Car Park

: Premix finish to concrete and/or clay paving blocks a) Surface Driveway and/or imprinted concrete finish

: Reinforced concrete slab with floor hardener b) Basement Car Park

16. Recreation Facilities The following are provided:

3rd Storey

a) Swimming Pool

b) Children's Pool c) Pool Deck

d) Gymnasium

e) Pavilion f) Playground

g) Barbeque Pit

17. Additional Items

a) Kitchen Cabinets/Appliances: Kitchen cabinet at Kitchen complete with -

a) High and low kitchen cabinets with solid surface

b) One stainless steel sink complete with tap

c) Induction hob and cooker hood

d) In-built refrigerator e) Washer dryer

: Built-in wardrobes to all bedrooms

b) Wardrobes

c) Air-Conditioning and : Split unit air conditioning system to Living/Dining, Mechanical Ventilation

Bedrooms and Study (if any).

d) Water Heater : Hot water supply to all bathrooms e) Railing

: Mild steel for common stair railing Aluminum and/or steel and/or glass for other railings

f) Security : Audio intercom to all units g) Lift

: 2 passenger lifts serving 2nd Basement, 1st storey, 3rd storey to 6th storey

> 3 passenger lifts serving 2nd Basement, 1st storey, 3rd storey to 7th storey

1 Fire lift serving 2nd Basement to 7th Storey

h) Private Jacuzzi at : For all Penthouse Units roof terrace

Electrical Schedule

	int			oint		oint	er Point	Point	er Point	ıt		
	Lighting Point	Power Point	TV Point	Telephone Point	Bell Point	Intercom Point	Washer Dryer Point (13A SSO)	Refrigerator Point (13A SSO)	Water Heater Point (13A SSO)	Cooker Point (13A SSO)	Hood Point (13A SSO)	Isolator
UNIT TYPE			-								_	
TYPE eA	6	8	2	2	1	1	1	1	1	1	1	1
TYPE eA-a TYPE eA-a1	6	8	2	2	1	1	1	1	1	1	1	1
TYPE eA-ai	6	8	2	2	1	1	1	1	1	1	1	1
TYPE eA2	6	8	2	2	1	1	1	1	1	1	1	1
TYPE eA2-a	6	8	2	2	1	1	1	1	1	1	1	1
TYPE eA2-b	6	8	2	2	1	1	1	1	1	1	1	1
TYPE eA3	6	8	2	2	1	1	1	1	1	1	1	1
TYPE eB	6	8	3	3	1	1	1	1	1	1	1	1
TYPE eB1	6	8	3	3	1	1	1	1	1	1	1	1
TYPE eB2-a TYPE eB2-a1	7	9	3	3	1	1	1	1	1	1	1	1
TYPE eB2-a1	7	9	3	3	1	1	1	1	1	1	1	1
TYPE eB4	7	9	3	3	1	1	1	1	1	1	1	1
TYPE eB5	7	9	3	3	1	1	1	1	1	1	1	1
TYPE eB5-a	7	9	3	3	1	1	1	1	1	1	1	1
TYPE eB5-a1	7	9	3	3	1	1	1	1	1	1	1	1
TYPE eB6	7	9	3	3	1	1	1	1	1	1	1	1
TYPE eB7	8	8	3	3	1	1	1	1	1	1	1	1
TYPE eB7-a	8	8	3	3	1	1	1	1	1	1	1	1
TYPE eC	9	10	4	4	1	1	1	1	2	1	1	2
TYPE eC1 TYPE eC2	10 9	10	4	4	1	1	1	1	2	1	1	2
TYPE A	6	8	2	2	1	1	1	1	1	1	1	1
TYPE A-a	6	8	2	2	1	1	1	1	1	1	1	1
TYPE A1	6	8	2	2	1	1	1	1	1	1	1	1
TYPE A2	6	8	2	2	1	1	1	1	1	1	1	1
TYPE A2-a	6	8	2	2	1	1	1	1	1	1	1	1
TYPE A2-b	6	8	2	2	1	1	1	1	1	1	1	1
TYPE A3	6	8	2	2	1	1	1	1	1	1	1	1
TYPE B TYPE B1	6	8	3	3	1	1	1	1	1	1	1	1
TYPE B2	7	9	3	3	1	1	1	1	1	1	1	1
TYPE B2-a	7	9	3	3	1	1	1	1	1	1	1	1
TYPE B3	7	9	3	3	1	1	1	1	1	1	1	1
TYPE B4	7	9	3	3	1	1	1	1	1	1	1	1
TYPE B5	7	9	3	3	1	1	1	1	2	1	1	1
TYPE B5-a	7	9	3	3	1	1	1	1	2	1	1	1
TYPE B6	7	9	3	3	1	1	1	1	1	1	1	1
TYPE B7	8	8	3	3	1	1	1	1	2	1	1	1
TYPE B7-a TYPE C	9	10	4	4	1	1	1	1	2	1	1	2
TYPE C1	9	10	4	4	1	1	1	1	2	1	1	2
TYPE C2	9	10	4	4	1	1	1	1	2	1	1	2
TYPE phA	10	10	3	3	1	1	1	1	2	1	1	1
TYPE phA-a	10	10	3	3	1	1	1	1	2	1	1	1
TYPE phA1	10	10	3	3	1	1	1	1	2	1	1	1
TYPE phA2	10	10	3	3	1	1	1	1	2	1	1	1
TYPE phA2-a TYPE phA2-b	10	10	3	3	1	1	1	1	2	1	1	1
TYPE phA3	10	10	3	3	1	1	1	1	2	1	1	1
TYPE phB	10	10	4	4	1	1	1	1	2	1	1	1
TYPE phB1	13	11	5	5	1	1	1	1	3	1	1	2
TYPE phB2	13	11	5	5	1	1	1	1	3	1	1	2
TYPE phB2-a	13	11	5	5	1	1	1	1	3	1	1	2
TYPE phB2-a1	13	11	5	5	1	1	1	1	3	1	1	2
TYPE phB3	13	11	5	5	1	1	1	1	3	1	1	2
TYPE phB4	13	11	5	5	1	1	1	1	3	1	1	2
TYPE phB5	13 13	11	5	5	1	1	1	1	3	1	1	1
TYPE phB5-a TYPE phB6	13	11	5	5	1	1	1	1	2	1	1	1
TYPE phB7	11	11	5	5	1	1	1	1	3	1	1	2
TYPE phB7-a	11	11	5	5	1	1	1	1	3	1	1	2
TYPE phB7-a1	11	11	4	4	1	1	1	1	2	1	1	2
TYPE phC	16	13	5	5	1	1	1	1	3	1	1	3
TYPE phC1	16	13	6	6	1	1	1	1	3	1	1	3
TYPE phC2	16	13	6	6	1	1	1	1	4	1	1	3

Note:

A. Tiles

Selected tiles sizes and tile surface flatness cannot be perfect, and subject to acceptable range described in Singapore Standards SS483:2000.

B. Marble/Compressed Marble/Limestone/Granite

Marble/compressed marble/limestone/granite are natural stone materials containing veins with tonality differences. There will be colour and markings caused by their complex mineral composition and incorporated impurities. While such materials can be pre-selected before installation, this non-conformity in the marble/compressed marble/limestone/granite as well as non-uniformity between pieces cannot be totally avoided. Granite tiles are pre-polished before laying and care has been taken for their installation. However, granite, being a much harder material than marble, cannot be re-polished after installation. Hence, some differences may be felt at the joints. Subject to clause 14.3, the tonality and pattern of the marble, limestone or granite selected and installed shall be subject to availability.

C. Timber strips

Timber strips are natural materials containing veins and tonal differences. Thus, it is not possible to achieve total consistency of colour and grain in their selection and installation. Timber strips are also subject to thermal expansion and contraction beyond the control of builder and vendor. Natural timber that is used outdoors will become bleached due to sunlight and rain. Thus, the cycle of maintenance on staining will need to be increased as required. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clause 9 and clause 17.

D. Air-conditioning system

To ensure good working condition of the air-conditioning system, the system has to be maintained and cleaned on a regular basis by the Purchaser. This includes the cleaning of filters, clearing of condensate pipes and charging of gas. The Purchaser is advised to engage his/her own contractor to service the air-conditioning system regularly.

E. Television and/or Internet Access

The Purchaser is liable to pay annual fee, subscription fee and such other fees to the television and/or internet service providers or any other relevant party or any relevant authorities. The Vendor is not responsible to make arrangements with any of the said parties for the service connection for their respective channels and/or internet access.

F. Materials, Fittings, Equipment, Finishes, Installations and Appliances

Subject to clause 14.3, the brand, colour and model as specified for all materials, fittings, equipment, finishes, installations and appliances to be supplied shall be provided subject to Architect's selection and market availability.

G. Layout/Location of Wardrobes, Cabinets, Fan Coil Units, Electrical Points, Television Points, Telecommunication Points, Audio Intercom System, Door Swing Positions and Plaster Ceiling Boards

Layout/Location of wardrobes, kitchen cabinets, fan coil units, electrical points, television points, telecommunication points, audio intercom system, door swing positions and plaster ceiling boards are subject to Architect's final decision and design.

H. Warranties

Where warranties are given by the manufacturers and/or contractors and/or suppliers of any of the equipment and/or appliances installed by the Vendor at the Unit, the Vendor will assign to the Purchaser such warranties at the time when vacant possession of the Unit is delivered to the Purchaser. Notwithstanding this assignment, the Vendor shall remain fully responsible for the performance of its obligations under clause 9 and clause 17.

I. False Ceiling

The false ceiling space provision allows for the optimal function and installation of M&E services. Access panels are allocated for ease of maintenance access to concealed M&E equipment for regular cleaning purposes. Where removal of equipment is needed, ceiling works will be required. Location of false ceiling is subject to the Architect's sole discretion and final design.

J. Glass

Glass is manufactured material that is not 100% pure. Invisible nickel sulphide impurities may cause spontaneous glass breakage, which may occur in all glass by all manufacturers. The Purchaser is recommended to take up home insurance covering glass breakage to cover this possible event. Notwithstanding this note, the Vendor shall remain fully responsible for the performance of its obligations under clause 9 and clause 17.

K. Mechanical Ventilation System

Mechanical Ventilation fans and ductings are provided to toilets which are not naturally ventilated. To ensure good working condition of the mechanical ventilation system, the mechanical ventilation system for the exhaust system within internal toilets (where applicable) is to be maintained by the Purchaser on a regular basis.

L. Planters

Planters are designed to take the loading of potted plants only. No soil materials or turf/plants will be provided in the planters.

M. Wal

All wall finishes shall be terminated at false ceiling level. There will be no tiles/stone works behind kitchen cabinets/long bath/vanity cabinet/mirror.

NAME OF PROJECT KAP Residences

ADDRESS OF PROJECT 11 King Albert Park, Singapore 598292

DEVELOPER Oxley Sanctuary Pte. Ltd. (ROC: 201207528K)

TENURE OF LAND Estate in Fee Simple (Freehold)

LEGAL DESCRIPTION LOT 05309T MK 04

BUILDING PLAN NO. A0642-00003-2012-BP01 dated 20 March 2013

DEVELOPER'S LICENCE NO. C1041

ESTIMATED DATE OF VACANT POSSESSION 31st December 2018
ESITMATED DATE OF LEGAL COMPLETION 31st December 2021

Disclaimer

While reasonable care has been taken in the preparation of this brochure, the developer cannot be held responsible for any inaccuracies or omissions. The statements, information and depictions shall not be regarded or relied upon as statements or representations of facts, and are subject to such changes as may be required by the developer or the relevant authorities, and cannot form part of an offer or contract. Visual representations, models, showflat, illustrations, photographs, pictures, drawings, displays and art renderings are artist's impressions only (which serve only to give an approximate idea of the project), and cannot be regarded as representation of facts. All plans and layouts are not to scale and are subject to change/amendments as may be directed or approved by the relevant authorities. The floor areas indicated in the brochure are approximate measurements only and are subject to final survey. The information included in this brochure is accurate as at the time of printing and there may be changes subsequently as may be required by the architects and relevant authorities. For the avoidance of any doubt, the information herein shall not form part of the Option or Sales and Purchase Agreement governing the terms and conditions of the sale and purchase of the unit.

A consortium comprising













Marketing Agents

